



Material Handling tyre solutions

Resilient tyres

TRELLEBORG ELITE XP / TRELLEBORG M²

TYRE SIZES

SPECIAL COMPOUNDS

Premium tyre designed for material handling environments -Features the Pit Stop Line wear indicator for better planning.

MAXIMUM



| 3.00-4[1] | 21x8-9 | 6.00-15 | 400/60-15[2] |
|-----------------------|------------------------|--------------|-------------------|
| 4.00-4[1] | 180/60-10 | 7.00-15 | 7.50-16 |
| 4.00-8 | 200/50-10 | 7.50-15 | 9.00-20 |
| 5.00-8 | 23x9-10 | 8.25-15 | 10.00-20 |
| 15x4½-8 | 6.50-10 | 28x9-15 | 11.00-20[1] |
| 16x6-8 | 7.00-12 | 250-15 | 12.00-20 |
| 17x7-8[2] | 23x10-12 | 280/50-15[2] | 355/50-20 |
| 18x7-8 | 27x10-12 | 300-15 | 12.00-24/10.00[1] |
| 18x9-8 ^[2] | 315/45-12 | 355/45-15[2] | 12.00-24/8.5[1] |
| 140/55-9 | 23x5-13 ^[1] | 355/50-15 | 14.00-24[1] |
| 6.00-9 | 5.50-15 | 355/65-15 | 16.00-25[1] |

MULTI : PURPOSE

NON # 198

ELECTRICALLY \$

CUT W NEMBER

. .

CHEMICAL PROTECTS

PROFEX CONDUCT

PROHD IN

PRO ROLL ING RESISTANCE

[1] Only available in Elite XP $\;$ [2] Only available in M^2

ORCA TYRE SIZES SPECIAL COMPOUNDS

Standard tyre designed for applications that are not in constant use or that carry a lower load.





| 3.00-4 | 21x8-9 | 7.50-15 | | | |
|--|-----------|--------------|--|--|--|
| 4.00-8 | 6.50-10 | 8.25-15 | | | |
| 15x4½-8 | 200/50-10 | 28x9-15 | | | |
| 5.00-8 | 23x9-10 | 250-15 | | | |
| 16x6-8 | 7.00-12 | 300-15 | | | |
| 18x7-8 | 23x10-12 | 465/55-20[1] | | | |
| 140/55-9 | 27x10-12 | 355/65-15[2] | | | |
| 6.00-9 | 7.00-15 | | | | |
| [1] Only available in Mastersolid [2] Only available in Orca | | | | | |





ECOSOLID TYRE SIZES SPECIAL COMPOUNDS

Ecosolid is an entry-level solid tyre option designed for use on forklifts in light-duty application.





| 15x4½-8 | 23x9-10 | |
|-----------|-----------|--|
| 5.00-8 | 7.00-12 | |
| 16x6-8 | 23x10-12 | |
| 18x7-8 | 27x10-12 | |
| 140/55-9 | 8.25-15 | |
| 6.00-9 | 28x9-15 | |
| 21x8-9 | 250-15 | |
| 6.50-10 | 300-15 | |
| 200/50-10 | 355/65-15 | |

MULTI *

Press On Solid Tyres

 $^{\scriptscriptstyle +}$ Full range of sizes available in the Trelleborg technical catalogue or on the website.

TRELLEBORG PRESS ON SOLID

Premium tyre designed for demanding material handling environments.





| | 9x5x5 | 16x7x10½ | 21x6x15 | 28x10x22 |
|--|----------|---------------|----------|----------|
| | 10x4x6½ | 15x5x11¼ | 21x7x15 | 28x12x22 |
| | 10½x5x6½ | 15x6x11¼ | 21x8x15 | 28x14x22 |
| | 10½x7x6½ | 161/4x5x111/4 | 21x9x15 | 28x16x22 |
| | 13x3½x8 | 16¼x6x11¼ | 22x7x16 | 40x12x30 |
| | 13x4½x8 | 161/4x7x111/4 | 22x8x16 | 40x14x30 |
| | 13x5x8 | 17x5x12 | 22x9x16 | 40x16x30 |
| | 13½x5½x8 | 17x6x12 | 22x10x16 | 40x20x30 |
| | 14x4½x8 | 18x5x12 | 22x12x16 | |
| | 14x5x10 | 18x6x12 | 22x14x16 | |
| | 15½x5x10 | 18x7x12 | 22x16x16 | |
| | 16x5x10½ | 18x8x12 | 22x6x17¾ | |
| | 16x6x10½ | 18x9x12 | 26x7x20 | |
| | | | | |

POPULAR TYRE SIZES +

SPECIAL COMPOUNDS

















More than value.

Choosing Pit Stop Line tyres delivers more. More than the industry leading performance that you'd expect from Trelleborg and more than ensuring maximum value for spend and eliminating unnecessary downtime.

Beyond all this Pit Stop Line tyres enhance safety, promote sustainability and simplify tyre replacement.





NEW TYRE



33% WORN



66% WORN



APPROX. 100 HOURS TYRE LIFE REMAINING

Why choose Pit Stop Line?



MAXIMUM VALUE Reduced spend



MAXIMUM UPTIME Increased productivity



INCREASED SAFETY Tyre safety simplified



REDUCED IMPACT Less waste



SERVICE MADE EASY Better planning



ON SITE SERVICE

We are focused on forklifts, delivering service excellence and making sure our customers have the right tyre for their application.

On-Site Fitting Service

We offer a range of onsite tyre replacement services via both mobile pressing and exchange wheels. Available in Northland, Auckland, Waikato, Bay of Plenty and Christchurch.

Nationwide Exchange Program

This service is available throughout New Zealand. Where we can't be on-site, this is the quickest way to get your forklift back up and running. A tyre and wheel assembly is sent to you ready to just bolt on, then return the old assembly to us. JOB DONE!

Fleet checks

We can check your fleet and give you up-to-date information on the condition of your tyres so you can plan your spend ahead of time.

Contact the team

For all your tyre and wheel needs phone or email one of our technical specialists

Upper North Island

Phone: Phil - 021 815 750

E-mail: phillip.stafford-bush@trelleborg.com

Lower North Island

Phone: Ivan - 0274 555 269 **E-mail:** ivan.hall@trelleborg.com

South Island

Phone: Warren – 021 903 544 **E-mail:** warren.park@trelleborg.com

info@interfit-nz.com

