



STRATIFIED LAYER TECHNOLOGY - PROVEN A MILLION TIMES NOW ENGINEERED FOR ROW CROPS

AGRI STAR II - ROW CROP

R-1/R1-W



AGRI STAR II - ROW CROP

R-1/R1-W



Alliance AGRI STAR II – Row Crop built on the proven SLT technology, the AGRI STAR II Row Crop delivers consistent traction and top-notch performance throughout its lifespan. Its strong casing enhances stability and supports heavy loads with ease. Designed for superior mobility on and off the road, this tire ensures smooth handling and driver comfort. The innovative dual-step tie bars promote excellent self-cleaning, while the elegant 5-spoke sidewall design provides a sleek look. Backed by a 7-year warranty, the AGRI STAR II is your reliable partner across all terrains-offering comfort, strength mile after mile.



Increased Land Area

- Provides a smooth and stable ride, improving performance across various terrains.



Dual Step Tie Bars

- Act as mud breakers, ensuring efficient self-cleaning.



Robust Casing

- Enhances durability, allowing for higher load carrying capacity at high-speed.



Overlapping Lugs at Center

- Enhances roadability for better Stability & driver comfort.



5-Spoke Themed Sidewall

- A unique aesthetic design that enhances the overall appearance of both the tire and the machine.



TRACTION THAT **LASTS**

AGRI STAR II features Stratified Layer Technology (SLT) - a breakthrough in agricultural tire design. Each lug is built with two distinct layers, ensuring exceptional performance throughout the tire's lifespan.



Top Layer



Bottom Layer

TIRE AT INITIAL STAGE

Top Layer: Provides powerful grip during initial use.




Bottom Layer

TIRE AFTER 40% WEAR

Bottom Layer: Engages after 40% tread wear, maintaining strong traction as if the tire were brand new.

HOW SLT BENEFITS YOU:



Consistent Traction

- Multi-angle lugs adapt over time for uninterrupted grip.



Extended Performance Life

- SLT ensures durability, maximising efficiency in the field.



Better Stability & Control

- Reduces skidding and enhances handling, even after prolonged use.

Rim	Size	LI / SS
24	230/95R24(9.5R24)	108D/104E
28	230/95R28	110D/107E
32	210/95R32	117D/114E
	230/95R32(9.5R32)	128D/125E
	270/95R32(11.2R32)	136D/133E
36	230/95R36(9.5R36)	130D/127E
	270/95R36(11.2R36)	139D/136E
	210/95R36(8.3R36)	119D/116E
38	270/95R38(11.2R38)	140D/137E
40	230/95R40(9.5R40)	132D/128E
42	230/95R42	133D/130E
	270/95R42(11.2R42)	140D/137E
44	230/95R44	134D/131E
	270/95R44(11.2R44)	142D/139E
46	270/95R46(11.2R46)	141D/138E
	300/95R46	148D/145E
	320/90R46	148D/145E
	340/85R46(13.6R46)	150D/147E
	380/90R46	173D/170E
	380/90R46	159D/156E

Rim	Size	LI / SS
48	230/95R48	136D/133E
	270/95R48	142D/139E
	340/85R48	156D/153E
50	320/90R50	150D/147E
	380/105R50	168D/165E
	380/90R50	151D/148E
	380/90R50	158D/155E
52	300/95R52	156D/153E
	300/95R52	149D/146E
54	270/95R54	156D/153E
	270/95R54	146D/143E
	320/90R54	151D/148E
	380/90R54	171D/168E
	380/90R54	152D/149E



Disclaimer: The specifications mentioned in this document are subject to change with no prior intimation or notice. Please visit our website for updated information and details.

Distributor:

Yokohama-ATG (Y-ATG) is a global leader in the design, development, manufacturing and marketing of commercial tires for a diverse range of applications which include agriculture, forestry, construction, industrial, earthmoving, mining, and port operations. With an extensive portfolio of well established brands such as Alliance, Galaxy and Primex, Y-ATG provides customers the highest quality tires, the lowest cost of ownership and the utmost convenience. The diverse range of offerings from Y-ATG comprises over 3500 SKUs, ensuring that customers can find the ideal tires to meet their unique requirements for both aftermarket replacements and OEM solutions. With a robust distribution network, Y-ATG ensures timely distribution and service support in more than 120 countries globally.



facebook.com/Alliancetires



youtube.com/@Alliance-Tires



www.yokohama-atg.com



Email : info@yokohama-atg.com